



东莞市邦腾五金电子有限公司


电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0001	镍带	0.15*7*18.3带孔 0.15*7*18.5带孔 0.15*7*19.5带孔 0.15*7*20.25带孔		纯镍 镀镍	18650电池组 1并 18.3mm, 18.5mm间距用于不装支架电池组, 成卷方向间距可调
BTB0002	镍带	0.15*27*18.3 带孔		纯镍 镀镍	18650电池组 2并 18.3mm, 18.5mm间距用于不装支架电池组, 成卷方向间距可调
BTB0003	镍带	0.15*14*18.5 (mm)		纯镍 镀镍	18650电池组 1并 18.3mm, 18.5mm间距用于不装支架电池组, 成卷方向间距可调
BTB0004	镍带	0.15*25.5*18.5 (11*12.5)		纯镍 镀镍	18650电池组 2并 18.3mm, 18.5mm间距用于不装支架电池组, 成卷方向间距可调
BTB0005	镍带	0.15*25.5*18.5 (8*9.5)		纯镍 镀镍	18650电池组 2并 18.3mm, 18.5mm间距用于不装支架电池组, 成卷方向间距可调
BTB0006	镍带	0.15*27*20.25 (13.5*13.5)		纯镍 镀镍	18650电池组 2并 20.25mm间距用于装支架电池组, 成卷方向间距可调



东莞市邦腾五金电子有限公司


电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0007	镍带	0.15*27*19 (12*14.5)		纯镍 镀镍	18650电池组 2并 19mm间距用于装支 架电池组,成卷方 向间距可调
BTB0008	镍带	0.15*27*19.75 (12.5*12.5)		纯镍 镀镍	18650电池组 2并 19.75mm间距用于装 支架电池组,成卷 方向间距可调
BTB0009	镍带	0.15*44.5*18.5 (11*12.5)		纯镍 镀镍	18650电池组 3并 18.3mm, 18.5mm间 距用于不装支架 电池组,成卷方向 间距可调
BTB0010	镍带	0.15*47.5*20.15 (12.65*12.65)		纯镍 镀镍	18650电池组 3并 20.15mm间距用于装 支架电池组,成卷方 向间距可调
BTB0011	镍带	0.15*47.5*20.25 (13.5*13.5)		纯镍 镀镍	18650电池组 3并 20.25mm间距用于装 支架电池组,成卷方 向间距可调
BTB0012	镍带	0.15*63*18.5 (11*12.5)		纯镍 镀镍	18650电池组 4并 18.3mm, 18.5mm间 距用于不装支架 电池组,成卷方向 间距可调



东莞市邦腾五金电子有限公司


电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0013	镍带	0.15*67.7*20.25 (13.5*13.5)		纯镍 镀镍	18650电池组 4并 20.25间距用于装支架电池组, 成卷方向间距可调
BTB0014	镍带	0.15*67.95*20.15 (12.65*12.65)		纯镍 镀镍	18650电池组 4并 20.15mm间距用于装支架电池组, 成卷方向间距可调
BTB0015	镍带	0.15*87.9*20.25 (13.5*13.5)		纯镍 镀镍	18650电池组 5并 20.25间距用于装支架电池组, 成卷方向间距可调
BTB0016	镍带	0.15*88.1*20.15 (12.65*12.65)		纯镍 镀镍	18650电池组 5并 20.15mm间距用于装支架电池组, 成卷方向间距可调
BTB0017	镍带	0.15*108.1*20.25 (13.5*13.5)		纯镍 镀镍	18650电池组 6并 20.25mm间距用于装支架电池组, 成卷方向间距可调
BTB0018	镍带	0.15*108.25*20.15 (12.65*12.65)		纯镍 镀镍	18650电池组 6并 20.15mm间距用于装支架电池组, 成卷方向间距可调



东莞市邦腾五金电子有限公司




电话:0769-86388199/87028919 传真:0769-86389099
 邮箱:bangteng86388199@163.com 网址: www.dgbangteng.com
 地址: 广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0019	镍带	0.15*128.3*20.25 (13.5*13.5)		纯镍 镀镍	18650电池组 7并 20.25mm间距用于装 支架电池组, 成卷 方向间距可调
BTB0020	镍带	0.15*128.4*20.15 (12.65*12.65)		纯镍 镀镍	18650电池组 7并 20.15mm间距用于装 支架电池组, 成卷 方向间距可调
BTB0021	镍带	0.2*27*57*7		纯镍 镀镍	18650电池组, 间距 18.93mm
BTB0022	镍带	0.127*4.76*8.38*20.32		纯镍 镀镍	18650电池组 带凸 点镍带, 间距 20.32mm
BTB0023	镍带	0.2*7*27.8		纯镍 镀镍	26650电池组 1并 间距27.8mm可按客 人要求调整, 用于 装支架电池组
BTB0024	镍带	0.2*34.8*27.8 (20.8*20.8)		纯镍 镀镍	26650电池组 2并 间距27.8mm用于装 支架电池组, 成卷 方向间距可调



东莞市邦腾五金电子有限公司

电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0025	镍带	0.2*40.2*27.8 (20.8*20.8)		纯镍 镀镍	26650电池组 2并 间距27.8mm用于装 支架电池组,成卷方 向间距可调
BTB0026	镍带	0.2*55.2*27.8 (20.8*20.8)		纯镍 镀镍	26650电池组 3并 间距27.8mm用于装 支架电池组,成卷方 向间距可调
BTB0027	镍带	0.2*68.6*27.8 (20.8*20.8) 0.2*68.6*26.7 (20.8*20.8)		纯镍 镀镍	26650电池组 3并 间距27.8mm用于装 支架电池组,成卷方 向间距可调
BTB0028	镍带	0.2*96.4*27.8 (20.8*20.8) 0.2*96.4*26.7 (20.8*20.8)		纯镍 镀镍	26650电池组 4并 间距27.8mm用于装 支架电池组,成卷方 向间距可调
BTB0029	镍带	0.15*34.8*27.8		纯镍 镀镍	26650电池组, 间距 27.8mm
BTB0030	镍带	0.2*47*34.5(18*18)异型孔		纯镍 镀镍	32650电池组 2并 间距34.5mm用于装 支架电池组,成卷 方向间距可调



东莞市邦腾五金电子有限公司




电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0031	镍带	0.2*47*34.5(18*18)矩形孔		纯镍 镀镍	32650电池组 2并 间距34.5mm用于装 支架电池组, 成卷 方向间距可调
BTB0032	镍带	0.2*47.5*32.5(18*18异型孔)		纯镍 镀镍	32650电池组 2并 间距32.5mm用于不 装支架电池组, 成 卷方向间距可调
BTB0033	镍带	0.2*82*34.5(18*18)异形孔		纯镍 镀镍	32650电池组 3并 间距34.5mm用于装 支架电池组, 成卷 方向间距可调
BTB0034	镍带	0.2*82*34.5(18*18)方形孔		纯镍 镀镍	32650电池组 3并 间距34.5mm用于装 支架电池组, 成卷 方向间距可调
BTB0035	镍带	0.2*116.5*34.5(18*18)异形孔		纯镍 镀镍	32650电池组 4并 间距34.5mm用于装 支架电池组, 成卷 方向间距可调
BTB0036	镍带	0.2*116.5*34.5(18*18)方形孔		纯镍 镀镍	32650电池组 4并 间距34.5mm用于装 支架电池组, 成卷 方向间距可调



东莞市邦腾五金电子有限公司



电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0037	镍带	0.2*13*32.5 (18*18) 异型孔		纯镍 镀镍	32650电池组 1并 间距32.5mm用于不 装支架电池组, 成 卷方向间距可调
BTB0038	镍带	0.2*13*34.5 (18*18) 异型孔		纯镍 镀镍	32650电池组 1并 间距34.5mm用于装 支架电池组, 成卷 方向间距可调
BTB0039	镍带	T*W		纯镍 镀镍钢 带 不锈钢带 紫铜带 铝铜 带 镀镍紫铜 带	T厚度: 0.04, 0.05, 0.06, 0.08, 0.1, 0.127, 0.15, 0.18, 0.2, 0.25, 0.3, 0.4, 0.5mm. W 宽镀: 2mm宽以上
BTB0040	镍片	T*W*L		纯镍 镀镍钢 带 不锈钢带 紫铜带 铝铜 带 镀镍紫铜 带	按客人要求裁切 T: 厚度 W: 宽度 L: 长度
BTB0041	镍片	0.1*19		纯镍 镀镍	一联一出
BTB0042	镍片	0.127*8+18.5+4*14.5		纯镍 镀镍	一联一出



东莞市邦腾五金电子有限公司



电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0043	镍片	0.127*6*10+3*16		纯镍 镀镍	L型 一联一出
BTB0044	镍片	0.127*13.55*17.75		纯镍 镀镍	S型 一联一出
BTB0045	镍片	0.1*8.5*26.8+4*15.25/ 0.1*15.25*26.8 不开叉		纯镍 镀镍	无开叉 两联中出
BTB0046	镍片	0.1*8.5*26.8+4*15.25/ 0.1*15.25*26.8		纯镍 镀镍	开叉 两联中出
BTB0047	镍片	0.1*8.5*26.8+4*12.75/ 0.1*12.75*26.8		纯镍 镀镍	开叉 两联中出
BTB0048	镍片	0.1*8*33+5*10		纯镍 镀镍	带焊孔 两联中出



东莞市邦腾五金电子有限公司



电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0049	镍片	0.1*5*25+3*20 0.15*5*25+3*20		纯镍 镀镍 纯铝	T型两联中出
BTB0050	镍片	0.1*5*25+3*30		纯镍 镀镍 纯铝	T型两联中出
BTB0051	镍片	0.1*8*27.5+3*7.3		纯镍 镀镍	二联侧出
BTB0052	镍片	0.12*8*27.5+3*10		纯镍 镀镍	二联侧出
BTB0053	镍片	0.127*5*29+3*10侧出		纯镍 镀镍	二联侧出
BTB0054	镍片	0.15*6*85.3		纯镍 镀镍	带焊孔直片



东莞市邦腾五金电子有限公司





电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0055	镍片	0.2*8*35+4*30		纯镍 镀镍	平衡车镍片 二联侧出
BTB0056	镍片	0.1*5*29.2+3*10中出		纯镍 镀镍	两联中出
BTB0057	镍片	0.2*8*19+5*20		纯镍 镀镍	两联中出 带孔
BTB0058	镍片	0.1*5*18.4+4*18/ 0.15*26.9+4*15.5		纯镍 镀镍	二联中出
BTB0059	镍片	0.1*6.5*18.4+6*18.25		纯镍 镀镍	18650 二联中出
BTB0060	镍片	0.1*5*26+3*11.5 0.127*5*26+3*11.5 (无焊孔)		纯镍 镀镍	18650 2联T镍片 有无焊孔的



东莞市邦腾五金电子有限公司



电话:0769-86388199/87028919 传真:0769-86389099
 邮箱:bangteng86388199@163.com 网址: www.dgbangteng.com
 地址: 广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0061	镍片	0.1*5*26.5+3.5*12		纯镍 镀镍	18650 二联中出
BTB0062	镍片	0.1*5*40+3.5*13.5		纯镍 镀镍	18650 二联二出
BTB0063	镍片	0.2*19*19+5*20		纯镍 镀镍	18650 三联一出
BTB0064	镍片	0.1*5*45+3.5*13.5		纯镍 镀镍	18650 三联一出
BTB0065	镍片	0.1*5*45+3.5*12		纯镍 镀镍	18650 三联一出
BTB0066	镍片	0.127*5*44.8+3*11 (0.127*8*44)		纯镍 镀镍	18650 三联斜出 带孔



东莞市邦腾五金电子有限公司



电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0067	镍片	0.127*5*44+3*16.5 (0.127*11.5*44)		纯镍 镀镍	18650 三联一出 带孔
BTB0068	镍片	0.1*5*47.2+3*15		纯镍 镀镍	18650 三联两出
BTB0069	镍片	0.1*8*48.9+4*11		纯镍 镀镍	用于18650 三联二出, 可加焊孔
BTB0070	镍片	0.127*6.5*14.4+3*62.2		纯镍 镀镍	四联一出
BTB0071	镍片	0.1*5*63.5+3.5*13.5		纯镍 镀镍	18650 四联中出
BTB0072	镍片	0.127*5*62+3*15 (0.127*5*62+3*8.5)		纯镍 镀镍	用于18650 四联侧出



东莞市邦腾五金电子有限公司

电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0073	镍片	0.127*5*62+3*74.5		纯镍 镀镍	用于18650 四联侧出
BTB0074	镍片	0.1*32.81*36.05		纯镍 镀镍	18650 四并一出
BTB0075	镍片	0.1*5*64+3.5*10		纯镍 镀镍	18650 四联中出
BTB0076	镍片	0.25*012.7*18*36		纯镍 镀镍	18650 四并
BTB0077	镍片	0.25*012.7*18*15.59		纯镍 镀镍	18650 四并
BTB0078	镍片	0.25*04.58*012.7*18		纯镍 镀镍	18650 两联中出 焊孔 定位孔



东莞市邦腾五金电子有限公司





电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0079	镍片	0.25*Ø12.7*54		纯镍 镀镍	18650 四并
BTB0080	镍片	0.25*Ø12.7*18*36		纯镍 镀镍	18650 四并
BTB0081	镍片	0.25*Ø12.7*15.59*18		纯镍 镀镍	18650 四并
BTB0082	镍片	0.2*18.3*18.3+5*15 0.12*18.3*18.3+5*15 (0.12*6*18.3+5*15)		纯镍 镀镍	18650 扭扭车镍片 四并中出
BTB0083	镍片	0.2*8*36.6		纯镍 镀镍	18650 四并
BTB0084	镍片	0.2*8*45.8		纯镍 镀镍	18650 四并



东莞市邦腾五金电子有限公司

电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址: www.dgbangteng.com
地址: 广东省东莞市石碣镇刘屋管理区诺哲工业园



编码	品名	规格	图片	材质	说明
BTB0085	镍片	0.2*8*64.2		纯镍 镀镍	18650 四并
BTB0086	镍片	0.2*8*54.4		纯镍 镀镍	18650 二并
BTB0087	镍片	0.1*5*82+3.5*13.5		纯镍 镀镍	五联一出
BTB0088	镍片	0.127*5*98+3*16.5 (0.127*11.5*98)		纯镍 镀镍	六联一出 带孔
BTB0089	镍片	0.1*8*25.5+4*74		纯镍 镀镍	开叉五联一出
BTB0090	镍片	0.127*4*36+3*82		纯镍 镀镍	型两联中出

T



东莞市邦腾五金电子有限公司





电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0091	镍片	0.1*8*68		纯镍 镀镍	带焊孔 直片
BTB0092	镍片	0.15*6*151.73		纯镍 镀镍	带焊孔直片
BTB0093	镍片	0.1*3*5+3*72		纯镍 镀镍	T型 两联中出
BTB0094	镍片	0.127*4*12+3*128		纯镍 镀镍	T型 两联中出
BTB0095	镍片	0.2*28.3*28.3 (20.3*20.3)		纯镍 镀镍	四并口字型
BTB0096	镍片	0.2*13*26.97		纯镍 镀镍	并1出



东莞市邦腾五金电子有限公司






电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址: www.dgbangteng.com
地址: 广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0097	镍片	0.2*6*34+6*6		纯镍 镀镍	二联一出
BTB0098	镍片	0.2*28.54*39.8		纯镍 镀镍	26650 二联一出
BTB0099	镍片	0.18*10*37+4*31.4		纯镍 镀镍	平衡车镍片 两联侧出
BTB0100	镍片	0.18*10*37+8*28		纯镍 镀镍	平衡车镍片 L型镍片
BTB0101	镍片	0.18*10*52 2孔		纯镍 镀镍	平衡车镍片 直片 带孔
BTB0102	镍片	0.18*10*27 1孔		纯镍 镀镍	平衡车镍片 直片 带孔



东莞市邦腾五金电子有限公司


电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0103	镍片	0.2*23.74*66.6		纯镍 镀镍	3联侧出 带孔
BTB0104	镍片	0.2*18.5*94		纯镍 镀镍	联侧出 带孔
BTB0105	镍片	0.2*6*86+3*6		纯镍 镀镍	联侧出 带孔
BTB0106	镍片	0.2*92.36*27.27		纯镍 镀镍	
BTB0107	镍片	0.2*92.36*34.65		纯镍 镀镍	
BTB0108	镍片	0.1*7.5*90.6		纯镍 镀镍	银鱼支架镍片



东莞市邦腾五金电子有限公司


电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0109	镍片	0.1*26.9*90.6		纯镍 镀镍	银鱼支架镍片
BTB0110	焊片	0.5*10*30		紫铜	带孔焊片 (紫铜镀镍)
BTB0111	连接片	1.5*15*82		紫铜	40Ah连接片铜箔
BTB0112	连接片	1.5*17*71		紫铜	50Ah连接片铜箔
BTB0113	连接片	1.5*20*74		紫铜	60Ah连接片铜箔
BTB0114	连接片	1.5*20*90		紫铜	100Ah连接片铜箔



东莞市邦腾五金电子有限公司

电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0115	连接片	1.5*20*84		紫铜	100Ah连接片铜箔
BTB0117	连接片	2.5*30*103		紫铜	200Ah连接铜箔
BTB0118	连接片	2.5*30*128		紫铜	200Ah连接铜箔
BTB0119	镍片	0.127*3*45+3*82		纯镍 镀镍	L型镍片
BTB0120	镍片	0.1*2*7+2*6		纯镍 镀镍	L型镍片
BTB0121	镍片	0.1*2*8+2*5		纯镍 镀镍	L型镍片



东莞市邦腾五金电子有限公司





电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址: www.dgbangteng.com
地址: 广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0122	镍片	0.1*2*8+2*6		纯镍 镀镍	L型镍片
BTB0123	镍片	0.1*2*9+2*6		纯镍 镀镍	L型镍片
BTB0124	镍片	0.1*2*10+2*5		纯镍 镀镍	L型镍片
BTB0125	镍片	0.1*2*10+2*7		纯镍 镀镍	L型镍片
BTB0126	镍片	0.1*2*12+2*5		纯镍 镀镍	L型镍片
BTB0127	镍片	0.1*2*13+2*5		纯镍 镀镍	L型镍片



东莞市邦腾五金电子有限公司

电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0128	镍片	0.1*2*15+2*5		纯镍 镀镍	L型镍片
BTB0129	镍片	0.1*2.5*18+2.5*10.5		纯镍 镀镍	L型镍片
BTB0130	镍片	0.1*3*6+3*12		纯镍 镀镍	L型镍片
BTB0131	镍片	0.1*3*9+3*27.5		纯镍 镀镍	L型镍片
BTB0132	镍片	0.1*3*7+3*43.5		纯镍 镀镍	L型镍片
BTB0133	镍片	0.1*3*5+3*49.5		纯镍 镀镍	L型镍片



东莞市邦腾五金电子有限公司

电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址: www.dgbangteng.com
地址: 广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0134	镍片	0.1*3*13+4*7		纯镍 镀镍	L型镍片
BTB0135	镍片	0.1*4*13+3*11.5		纯镍 镀镍	L型镍片
BTB0136	镍片	0.1*3*13+3*10		纯镍 镀镍	L型镍片
BTB0137	镍片	0.15*3*7+3*16.5		纯镍 镀镍	L型镍片
BTB0138	镍片	0.1*3*9.5+3*16		纯镍 镀镍	L型镍片
BTB0139	镍片	0.1*6*13+3*8		纯镍 镀镍	L型镍片



东莞市邦腾五金电子有限公司




电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0140	镍片	0.2*8*35+8*26		纯镍 镀镍	L型镍片
BTB0141	镍片	0.1*9*5+15*2.5		纯镍 镀镍	L型镍片
BTB0142	镍片	0.1*12*4+10*2.5		纯镍 镀镍	L型镍片
BTB0143	镍片	0.1*6*15+3*23		纯镍 镀镍	L型镍片
BTB0144	镍片	0.127*3*21+3*14.5		纯镍 镀镍	L型镍片
BTB0145	镍片	0.127*3*21+3*11		纯镍 镀镍	L型镍片



东莞市邦腾五金电子有限公司





电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址: www.dgbangteng.com
地址: 广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0146	镍片	0.127*3*17+3*14.5		纯镍 镀镍	L型镍片
BTB0147	镍片	0.127*3*21+3*11.5		纯镍 镀镍	L型镍片
BTB0148	镍片	0.15*3.5*23.26+4.8*20		纯镍 镀镍	L型镍片
BTB0149	镍片	0.127*3*39+3*11		纯镍 镀镍	L型镍片
BTB0150	镍片	0.127*3*32+3*10.5		纯镍 镀镍	L型镍片
BTB0151	镍片	0.127*3*82+3*26		纯镍 镀镍	L型镍片



东莞市邦腾五金电子有限公司


电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0152	镍片	0.127*3*82+3*45		纯镍 镀镍	L型镍片
BTB0153	镍片	0.15*3.5*39.76+4.8*20		纯镍 镀镍	L型镍片
BTB0154	镍片	0.15*3.5*38.06+4.8*56.8		纯镍 镀镍	L型镍片
BTB0155	镍片	0.1*6*16+6*22		纯镍 镀镍	L型镍片
BTB0156	镍片	0.1*6*40+5*12		纯镍 镀镍	L型镍片
BTB0157	镍片	0.1*2*10+3*60.5		纯镍 镀镍	



东莞市邦腾五金电子有限公司

电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0158	镍片	0.1*5*9+3*60.5		纯镍 镀镍	
BTB0159	镍片	0.4*3*4.4		纯镍 铝镍 镀镍	SMD 编带镍片
BTB0160	镍片	0.127*4.1*2.8*3.8		纯镍 铝镍 镀镍	编带L型
BTB0161	镍片	0.15*2.5*2.9*2.9 0.12*2.5*2.9*2.9		纯镍 铝镍 镀镍	SMD 编带镍片
BTB0162	镍片	0.2*2*2.5		纯镍 镀镍	SMD 编带镍片
BTB0163	镍片	0.2*3*4		纯镍 镀镍	SMD 编带镍片



东莞市邦腾五金电子有限公司





电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0164	镍片	0.2*4*4		纯镍 镀镍	SMD 编带镍片
BTB0165	镍片	0.3*5*6		纯镍 镀镍	SMD 编带镍片
BTB0166	镍片	0.3*6*6		纯镍 镀镍	SMD 编带镍片
BTB0167	镍片	0.4*3*8		纯镍 镀镍	SMD 编带镍片
BTB0168	镍片	0.1*2*12+3*5.5		纯镍 镀镍	适合自动点焊设备, 预断部位易折断
BTB0169	镍片	0.1*2*12+3.5*7		纯镍 镀镍	适合自动点焊设备, 预断部位易折断



东莞市邦腾五金电子有限公司





电话:0769-86388199/87028919 传真:0769-86389099
 邮箱:bangteng86388199@163.com 网址: www.dgbangteng.com
 地址: 广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0170	镍片	0.1*2*12+3.5*6.2		纯镍 镀镍	适合自动点焊设备，预断部位易折断
BTB0171	镍片	0.1*8.3+0.9*7		纯镍 镀镍	编带Z型
BTB0172	镍片	0.2*8.2*17.5		纯镍 镀镍	引脚纯镍片
BTB0173	镍片	0.2*8.2*17.5		纯镍 镀镍	引脚纯镍片
BTB0174	镍片	0.2*7*15		纯镍 镀镍	引脚纯镍片
BTB0175	镍片	0.1*2*15.95+3*22.45		纯镍 镀镍	L折叠型纯镍片



东莞市邦腾五金电子有限公司




电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0176	镍片	0.1*6*19+3*26.5		纯镍 镀镍	异形电池连接片
BTB0177	镍片	0.127*3*14+3*11.5		纯镍 镀镍	镍片
BTB0178	镍片	0.15*3*7+3*16.5		纯镍 镀镍	镍片
BTB0179	镍片	0.127*3*8.5+5*12.3		纯镍 镀镍	负极镍片
BTB0180	镍片	0.15*22.7*34.6*84.5		纯镍 镀镍	对讲机电池连接片
BTB0181	镍片	0.127*18.4*26.7*103		纯镍 镀镍	对讲机电池连接片



东莞市邦腾五金电子有限公司





电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0182	镍片	0.127*18.4*26.7*88		纯镍 镀镍	对讲机电池连接片
BTB0183	弹片	0.15*3*1.6*12.54		铍铜镀金	电池弹片
BTB0184	弹片	0.2*1.85*3*10		紫铜镀金	电池弹片
BTB0185	弹片	0.15*3*3.77*12.32		铍铜镀金	电池弹片
BTB0186	五金件	0.2*1.45*4.7*15.8		不锈钢 黄铜	电池弹片
BTB0187	弹片	0.3*2*3.5*22.3		铍铜 磷铜 不 锈钢	电池弹片



东莞市邦腾五金电子有限公司



电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0188	镍片	0.3*1.35*4*10.8		纯镍 镀镍	带螺纹镍片
BTB0189	镍片	0.1*6*23+3*104		纯镍 镀镍	电池连接片
BTB0190	镍片	0.15*1.65*0.92*3.18		纯镍 镀镍	欧米茄支架
BTB0191	镍片	0.127*3*7+08*33		纯镍 镀镍	成型镍片覆膜 Kapton薄膜
BTB0192	镍片	0.127*3*25+3*39		纯镍 镀镍	U型镍片
BTB0193	镍片	0.1*4*6.5+2.5*6.5+2.5*75		纯镍 镀镍	Z型镍片



东莞市邦腾五金电子有限公司




电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0194	镍片	0.15*3*38		纯镍 镀镍	Y镍片覆膜 Kapton薄膜
BTB0195	镍片	0.15*10*35		纯镍 镀镍	电动车电池组连接片
BTB0196	镍片	0.15*10*34.5		纯镍 镀镍	电动车电池组连接片
BTB0197	镍片	0.15*17.1*33.3		纯镍 镀镍	电动车电池组连接片
BTB0198	镍片	0.15*19.8*36.6		纯镍 镀镍	电动车电池组连接片
BTB0199	镍片	0.15*3*12.5+4*8.5		纯镍 镀镍	电动牙刷 L型镍片



东莞市邦腾五金电子有限公司



电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址: www.dgbangteng.com
地址: 广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0200	镍片	0.15*29.4*45		纯镍 镀镍	电动车电池组连接片
BTB0201	镍片	0.15*27.11*30.5*26.83		纯镍 镀镍	电动车电池组连接片
BTB0202	锰片	0.4*4*59.43		锰片	
BTB0203	镍片	0.2*8*29		纯镍 镀镍	电池焊片
BTB0204	镍片	0.15*8*34.8+6*5.15		纯镍 镀镍	折弯镍片
BTB0205	镍片	0.15*3*33.7+6*5.6		纯镍 镀镍	折弯镍片



东莞市邦腾五金电子有限公司






电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0206	镍片	0.2*8*30+5*16		纯镍 镀镍	18650 二并一出
BTB0207	镍片	0.2*8*30+8*44.23		纯镍 镀镍	26650 四并
BTB0208	镍片	0.15*37.95*100.97		纯镍 镀镍	25联镍片
BTB0209	镍片	0.15*37.95*96.53 (中出)		纯镍 镀镍	25联镍片
BTB0210	镍片	0.15*37.95*96.53 (侧出)		纯镍 镀镍	25联镍片
BTB0211	镍片	0.15*40.9*49.57		纯镍 镀镍	25联镍片



东莞市邦腾五金电子有限公司




电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址: www.dgbangteng.com
地址: 广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0212	镀镍不锈钢片	0.1*2.98*4*14.9		纯镍 镀镍 镀镍不锈钢	镀镍不锈钢304
BTB0213	镀镍不锈钢片	0.2*2.5*5+16		纯镍 镀镍 镀镍不锈钢	局部镀锡 镀镍不锈钢304
BTB0214	镍片	0.1*8*11.5+4*8		纯镍 镀镍 镀镍不锈钢	开叉一联一出
BTB0215	镍片	0.1*8.5+4*28.25		纯镍 镀镍	开叉一联一出
BTB0216	覆膜镍片	0.15*4.8+17*31		纯镍+覆盖膜	成型镍片覆膜 Kapton薄膜
BTB0217	覆膜镍片	0.15*5*14.5+4.2*37.3		纯镍+覆盖膜	成型镍片覆膜 Kapton薄膜



东莞市邦腾五金电子有限公司





电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址: www.dgbangteng.com
地址: 广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0218	镀镍片	0.4*5*8-Ø2		镀镍不锈钢	
BTB0219	镍片	0.15*35.12*78.75		纯镍 镀镍	26650 4S3P
BTB0220	镍片	0.15*35.12*105.45		纯镍 镀镍	26650 4S4P
BTB0221	镍片	0.15*35.12*132.15		纯镍 镀镍	26650 4S5P
BTB0222	镍片	0.15*35.12*158.85		纯镍 镀镍	26650 4S6P
BTB0223	镍片	0.15*35.12*185.55		纯镍 镀镍	26650 4S7P



东莞市邦腾五金电子有限公司





电话:0769-86388199/87028919 传真:0769-86389099
 邮箱:bangteng86388199@163.com 网址: www.dgbangteng.com
 地址: 广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0224	镍片	0.2*13*109.8		纯镍 镀镍	26650 间距27.8mm
BTB0225	镍片	0.2*40.8*82		纯镍 镀镍	26650 间距27.8mm
BTB0226	镍片	0.2*13*56.2		纯镍 镀镍	26650 间距27.8mm
BTB0227	镍片	0.15*8.5*26.8+4.5*26.8		纯镍 镀镍	18650 扭扭车镍片 四并 可带焊孔
BTB0228	镍片	0.15*28.5*28.5+4*17		纯镍 镀镍	扭扭车镍片 四并侧出 可带焊孔
BTB0229	镍片	0.2*40.8*54.2		纯镍 镀镍	26650镍片 间距 27.8mm



东莞市邦腾五金电子有限公司



电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址: www.dgbangteng.com
地址: 广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0230	镍片	0.15*27.9*75.7		纯镍 镀镍	万向壳电池镍片
BTB0231	镍片	0.15*26.4*67.7		纯镍 镀镍	万向壳电池镍片
BTB0232	镍片	0.15*25.23*79.9		纯镍 镀镍	万向壳电池镍片
BTB0233	镍片	0.15*27.9*45.13		纯镍 镀镍	万向壳电池镍片
BTB0234	镍片	0.15*25.23*60		纯镍 镀镍	万向壳电池镍片
BTB0235	镍片	0.15*27.9*55.8		纯镍 镀镍	万向壳电池镍片



东莞市邦腾五金电子有限公司




电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0236	镍片	0.15*27.9*95.6		纯镍 镀镍	万向壳电池镍片
BTB0237	镍片	0.127*8.1*11.2+3*10		纯镍 镀镍	18650 一联一出
BTB0238	铝连接片	1.0*85*20		铝片	
BTB0239	铝连接片	1.0*85*80		铝片	
BTB0240	软连接片	0.9*28*118.51 2孔Φ7.0		紫铜	厚度可以改变
BTB0241	连接片	2.0*15*82		黄铜镀锡	厚度可以改变



东莞市邦腾五金电子有限公司







电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0242	镍片	0.15*6*71.15+6*8.15		纯镍 镀镍	
BTB0243	镍片	0.15x6.5x18.2+6x18.25		纯镍 镀镍	18650镍片
BTB0244	镍片	0.127*8*69+3*10.2		纯镍 镀镍	18650镍片 四联斜出
BTB0245	镍片	0.4*11*13+7*40.75		纯镍 镀镍	26650带压包镍片
BTB0246	镍片	0.4*11*28+7*40.75		纯镍 镀镍	26650带压包镍片
BTB0247	镍片	0.2*8*28+3*10		纯镍、镀镍	18650镍片



东莞市邦腾五金电子有限公司


电话:0769-86388199/87028919 传真:0769-86389099
 邮箱:bangteng86388199@163.com 网址: www.dgbangteng.com
 地址: 广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0248	镍片	0.2*8*28+3*12.25		纯镍、镀镍	18650镍片
BTB0249	镍片	0.2*7.9*70+2*6.5		纯镍、镀镍	18650镍片
BTB0250	镍片	0.1*28*28		纯镍 镀镍	18650镍片
BTB0251	集流片	0.6*203.1*96.8		铜材: T=0.6±0.06 半硬紫铜 镍材: T=0.15±0.01 5 1/4H纯镍	铜镍激光复合: 每个镍片焊接8个焊点, 拉拔力≥8KG
BTB0252	纯镍片	0.2*52*80*144.5		纯镍	18650汇流片, 19mm间距
BTB0253	小镍包	0.2*15.7*15.7*0.72/ 0.2*1.55+9.6*15.7mm		纯镍	26650小镍包, 可做0.75mm 的高度或者1.55mm的高度



东莞市邦腾五金电子有限公司






电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0254	小镍包	0.15*9*12*1.55		纯镍	18650小镍包
BTB0255	镍片	0.2*20*46+3*86		纯镍	
BTB0256	镍片	0.2*16*53.5+3*19.5		纯镍	
BTB0257	镍片	0.2*16*30+11*18.5		纯镍	
BTB0258	镍片	0.2*16*42+26		纯镍	
BTB0259	镍片	0.2*20*47.8+3*19.5		纯镍	



东莞市邦腾五金电子有限公司




电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0260	镍片	0.1*19.6*19.6+6*16.1		纯镍, 镀镍	18650 四并一出 间距19.6mm
BTB0261	镍片	0.1*6*19.6+6*14.85		纯镍, 镀镍	18650
BTB0262	镍片	0.1*6*19.1+8.5*54.05		纯镍, 镀镍	18650
BTB0263	镍片	0.1*6*19.1+8.5*69.4		纯镍, 镀镍	18650
BTB0264	镍片	0.1*5*51+5*12.5		纯镍, 镀镍	18650
BTB0265	镍片	0.1*5*33+5*12.5		纯镍, 镀镍	18650



东莞市邦腾五金电子有限公司



电话:0769-86388199/87028919 传真:0769-86389099
 邮箱:bangteng86388199@163.com 网址: www.dgbangteng.com
 地址: 广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0266	镍片	0.1*26.5*3+5*15.5		纯镍, 镀镍	18650
BTB0267	镍片	0.15*8*98		纯镍, 镀镍	18650 六并
BTB0268	镍片	0.127*3*82+4*65		纯镍, 镀镍	18650
BTB0269	镍片	0.15*10+8*17.5		纯镍, 镀镍	18650 两并
BTB0270	镍片	0.15*8*29.1+3*17.5		纯镍, 镀镍	18650 两并斜出
BTB0271	镍片	0.15*42.2*67.25+5*10		纯镍, 镀镍	18650镍片



东莞市邦腾五金电子有限公司




电话:0769-86388199/87028919 传真:0769-86389099
 邮箱:bangteng86388199@163.com 网址: www.dgbangteng.com
 地址: 广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0272	镍片	0.15*37.63*42.2+5*10		纯镍, 镀镍	18650镍片
BTB0273	镍片	0.15*7*67.9+4*12		纯镍, 镀镍	18650 四并中出
BTB0274	镍片	0.15*7*29.3+5*10		纯镍, 镀镍	18650 两并中出
BTB0275	镍片	0.15*7*67.9+4*12侧出		纯镍, 镀镍	18650 四并侧出
BTB0276	镍片	0.15*7*48.6+5*20		纯镍, 镀镍	18650 三并侧出
BTB0277	镍片	0.15*7*18.5+6*24		纯镍, 镀镍	18650镍片



东莞市邦腾五金电子有限公司




电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0278	镍片	0.15*7*18.5+6*99		纯镍, 镀镍	18650镍片
BTB0279	镍带	0.2*29.8*26.3 (15.78*18.22)		纯镍, 镀镍	26650错位镍带
BTB0280	镍片	0.15*2.5*25+5*4		纯镍, 镀镍	18650镍片
BTB0281	镍片	0.1*30.4*48.8+3.4*13.25		纯镍, 镀镍	18650镍片
BTB0282	镍片	0.15*5*20		纯镍, 镀镍	18650镍片
BTB0283	镍片	0.1*5*25+4*18		纯镍, 镀镍	18650镍片 两并中出



东莞市邦腾五金电子有限公司



电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0284	镍片	0.2*8.3*9.2*27.6		纯镍, 镀镍	18650镍片
BTB0285	镍片	0.4*10.7*27.4		纯镍, 镀镍	18650带压包镍片
BTB0286	镍片	0.15*24.3*24.3+3*15		纯镍、镀镍	18650 四并中出
BTB0287	镍片	0.1*6*26+3*25		纯镍、镀镍	18650 两联中出
BTB0288	镍片	0.1*4*15+4*15		纯镍、镀镍	18650 L型镍片
BTB0289	镍片	0.15*7*44.8+4*15.6		纯镍、镀镍	18650镍片



东莞市邦腾五金电子有限公司

电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0290	镍片	0.15*6*26+4*11		纯镍、镀镍	L型镍片
BTB0291	镍片	0.15*6*35+4*11		纯镍、镀镍	L型镍片
BTB0292	镍片	0.2*3*43.26+19.2*85.64		纯镍、镀镍	间距19.2mm
BTB0293	镍片	0.2*6*51.2+5*38.76		纯镍、镀镍	间距19.2mm
BTB0294	镍片	0.3*3.5*6		纯镍、镀镍、 锰钢镀镍	编带镍片
BTB0295	镍片	0.3*5*10		纯镍、镀镍、 锰钢镀镍	编带镍片



东莞市邦腾五金电子有限公司






电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0296	镍带	0.15*64*19 (12*12)		纯镍、镀镍	18650电池组 4并 19mm间距用于装支 架电池组,成卷方 向间距可调
BTB0297	镍带	0.15*83*19 (12*12)		纯镍、镀镍	18650电池组 5并 19mm间距用于装支 架电池组,成卷方 向间距可调
BTB0298	镍带	0.15*102*19 (12*12)		纯镍、镀镍	18650电池组 6并 19mm间距用于装支 架电池组,成卷方 向间距可调
BTB0299	镍带	0.15*121*19 (12*12)		纯镍、镀镍	18650电池组 7并 19mm间距用于装支 架电池组,成卷方 向间距可调
BTB0300	镍带	0.15*140*19 (12*12)		纯镍、镀镍	18650电池组 8并 (可任意裁切)间 距可按客人要求调 整 19mm间距用装支 架电池组,成卷方 向间距可调
BTB0301	镍带	0.1*136*21.5 (14.5*14.5)		纯镍、镀镍	18650电池组 7并 21.5mm间距用于带支 架电池组(也可用 于21700不带支架 的)



东莞市邦腾五金电子有限公司




电话:0769-86388199/87028919 传真:0769-86389099
 邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
 地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0302	镍带	0.1*124.5*23.5 (16.5*16.5)		纯镍、镀镍	21700电池组, 7并 23.5间距用于装支架电池组
BTB0303	镍带	0.2*123.8*27.8 (20.8*20.8)		纯镍、镀镍	26650电池组 5并 27.8间距用于装支架电池组
BTB0304	镍带	0.2*151.8*27.8 (20.8*20.8)		纯镍、镀镍	26650电池组 6并 27.8间距用于装支架电池组
BTB0305	镍片	0.127*4*20+5.5*10		纯镍、镀镍	L型镍片
BTB0306	镍片	0.127*5*30+3*14.2		纯镍、镀镍	异性电池镍片, 18650镍片带引脚
BTB0307	弹片	0.2*1*8.75+0.75*1.35		铍铜镀镍	电池弹片 负极弹片



东莞市邦腾五金电子有限公司





电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0308	弹片	0.2*1.9*5.31+1.1*2.59		铍铜镀镍	电池弹片 正极弹片
BTB0309	镍片	0.8*2.8+6.3*26.5		纯镍、镀镍	电池连接片
BTB0310	镍片	0.15*116.14+37.75*122.14		纯镍、镀镍	电池连接片
BTB0311	镍片	0.1*11*34.5+3*17		纯镍、镀镍	2S1P 18650镍片
BTB0312	镍片	0.127*2.5*23+4.8*18		纯镍、镀镍	2S1P T型镍片 18650镍片
BTB0313	镍片	0.15*8*79.2 4孔		纯镍镀镍	



东莞市邦腾五金电子有限公司






电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0314	镍片	0.15*26.4*74 8孔		纯镍镀镍	
BTB0315	镍片	0.15*8*155.7 8孔		纯镍镀镍	
BTB0316	镍片	0.15*4*5.24*18.24		纯镍、镀镍	
BTB0317	镍片	0.1*9*4*15.84		纯镍、镀镍	18650单联连接片
BTB0318	镍片	0.1*9*27.5+4*11		纯镍、镀镍	18650两联中出
BTB0319	镍片	0.127*28.8*95+4*19.9		纯镍、镀镍	18650 4S4P 间距 18.4mm



东莞市邦腾五金电子有限公司







电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0320	镍片	0.2*8*18.06+3.92*6		纯镍、镀镍	18650单联连接片
BTB0321	镍片	0.15*32*7.6			
BTB0322	镍片	0.12*9.6+3.3*16		纯镍、镀镍	18650单联连接片
BTB0323	镍片	0.12*20.3*28.2+3.3*15.8		纯镍、镀镍	18650 2S1P 两联连接片
BTB0324	镍片	0.1*40*40+8*12		纯镍、镀镍	四方形镍片
BTB0325	镍片	0.15*6*7*49.95		纯镍、镀镍	18650镍片 OEM镍片



东莞市邦腾五金电子有限公司




电话:0769-86388199/87028919 传真:0769-86389099
 邮箱:bangteng86388199@163.com 网址: www.dgbangteng.com
 地址: 广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0326	镍片	0.1*3.5*17.5+5*10		纯镍、镀镍	L型镍片
BTB0327	镍片	0.15*7*26+7*14		纯镍、镀镍	L型镍片
BTB0328	镍片	0.15*7*37.7+5*18		纯镍、镀镍	L型镍片
BTB0329	镍片	0.15*7*63.2+5*17.5		纯镍、镀镍	
BTB0330	镍片	0.3*4*12+30*62		纯镍、镀镍	带凸点镍片， 间距20mm，凸点 可去除
BTB0331	镍片	0.3*6*14+10*63		纯镍、镀镍	带凸点镍片， 间距20mm，凸点 可去除



东莞市邦腾五金电子有限公司







电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0332	镍片	0.2*8*26.5+5*12		纯镍、镀镍	18650 两联电池 镍片 间距 18.5mm
BTB0333	镍片	0.127*4.8*23+4.8*18.2		纯镍、镀镍	18650 两并电池 镍片
BTB0334	镍片	0.127*4.8*23+4.8*74		纯镍、镀镍	18650 两并电池 镍片
BTB0335	纯镍片1	0.2*12.5+44.9*58.9		纯镍、镀镍	18650 异形电池 镍片
BTB0336	纯镍片2	0.2*10+44.7*58		纯镍、镀镍	18650 异形电池 镍片
BTB0337	纯镍片3	0.2*9.5+40.8*58.9		纯镍、镀镍	18650 异形电池 镍片



东莞市邦腾五金电子有限公司



电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0338	镍片	0.2*12+50.5*58		纯镍、镀镍	18650 异形电池镍片
BTB0339	镍片	0.2*15*30+6*13		纯镍、镀镍	18650 电池连接片 18.3mm间距
BTB0340	镍片	0.2*30*30+3*13		纯镍、镀镍	18650 电池连接片 18.3mm间距
BTB0341	连接片	0.25*10+26.6*83.5		纯镍、镀镍	Z形电池连接片
BTB0342	不锈钢片	0.2*8*57		不锈钢, 纯镍、镀镍	
BTB0343	不锈钢片	0.2*8*65		不锈钢, 纯镍、镀镍	



东莞市邦腾五金电子有限公司




电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址: www.dgbangteng.com
地址: 广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0344	镍片	0.15*6+7*66.3		纯镍, 镀镍	异形电池连接片
BTB0345	镍片	0.15*7*25+5*17.5		纯镍, 镀镍	18650 L型电池连接片 两联侧出
BTB0346	冲孔镍带	0.2*32*23.4 (14*15.5)		纯镍, 镀镍, 紫铜, 紫铜镀镍	21700两并冲孔镍带, 带支架款, 间距23.4mm, 成卷方向可调
BTB0347	冲孔镍带	0.2*55.5*23.4 (14*15.5)		纯镍, 镀镍, 紫铜, 紫铜镀镍	21700三并冲孔镍带, 带支架款, 间距23.4mm, 成卷方向可调
BTB0348	冲孔镍带	0.2*79*23.4 (14*15.5)		纯镍, 镀镍, 紫铜, 紫铜镀镍	21700四并并冲孔镍带, 带支架款, 间距23.4mm, 成卷方向可调
BTB0349	纯镍片	0.25*3.2*6mm		纯镍, 镀镍, 紫铜	圆形垫片



东莞市邦腾五金电子有限公司

电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0350	铜片	0.6*20*60+6.2*7		紫铜镀亮镍	38120 紫铜连接片
BTB0351	镍片	0.2*8*100		纯镍, 镀镍	6P 间距18.4mm
BTB0352	镍片	0.2*47.2*63.2		纯镍, 镀镍	OEM 异形电池镍片 18.4mm间距
BTB0353	镍片	0.2*26.4*47.2		纯镍, 镀镍	OEM 异形电池镍片 18.4mm间距
BTB0354	镍片	0.2*47.2*100		纯镍, 镀镍	OEM 异形电池镍片 18.4mm间距
BTB0355	镍片	0.2*47.2*100*44.8		纯镍, 镀镍	OEM 异形电池镍片 18.4mm间距



东莞市邦腾五金电子有限公司


电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0356	镍片	0.2*27.2*44.8		纯镍, 镀镍	OEM 异形电池镍片 18.4mm间距
BTB0357	镍片	0.2*8*44.8		纯镍, 镀镍	18650 3P镍片 间距18.4mm
BTB0358	铜镍复合片	0.5*176.3*179		0.5mm 紫铜+ 0.2mm 纯镍	20P 铜镍复合片
BTB0359	镍片	0.12*12.7*18+5*15		0.12mm镀镍	带预折断
BTB0360	镍片	0.15*1.6+4.8*21		纯镍, 镀镍	电池镍片带孔
BTB0361	镍片	0.15*3.3+4.8*80.5		纯镍, 镀镍	电池镍片带孔



东莞市邦腾五金电子有限公司



电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0362	镍片	0.15*2.5+4.8*95.2		纯镍, 镀镍	电池镍片带孔
BTB0363	镍片	0.15*1.6+4.8*75		纯镍、镀镍	电池镍片带孔
BTB0364	镍片	0.15*1.6+4.8*81.6		纯镍、镀镍	电池镍片带孔
BTB0365	镍片	0.15*1.6+4.8*63		纯镍、镀镍	电池镍片带孔
BTB0366	镍片	0.15*1.6+4.8*42.2		纯镍、镀镍	电池镍片带孔
BTB0367	镍片	0.15*1.6+4.8*37		纯镍、镀镍	电池镍片带孔



东莞市邦腾五金电子有限公司

电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0368	镍片	0.15*1.6+4.8*24		纯镍、镀镍	电池镍片带孔
BTB0369	镍片	0.15*1.6+4.8*15		纯镍、镀镍	电池镍片带孔
BTB0370	镍片	0.15*1.6+4.8*58		纯镍、镀镍	电池镍片带孔
BTB0371	镍片	0.2*27.25*41.16-19.4		纯镍、镀镍	18650 错位镍片 19.4mm间距
BTB0372	镍片	0.2*27.25*49.8-19.4		纯镍、镀镍	18650 错位镍片 19.4mm间距
BTB0373	镍片	0.2*27.25*88.6-19.4		纯镍、镀镍	18650 错位镍片 19.4mm间距



东莞市邦腾五金电子有限公司





电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0374	镍片	0.15*5*28+5*10		纯镍、镀镍	
BTB0375	镍片	0.2*32.7*48.8-19.5		纯镍、镀镍	18650镍片 19.5mm间距
BTB0376	镍片	0.2*32.7*74.6-19.5		纯镍、镀镍	18650镍片 19.5mm间距
BTB0377	镍片	0.2*32.7*75.6-19.5		纯镍、镀镍	18650镍片 19.5mm间距
BTB0378	镍片	0.15*3*38		纯镍、镀镍	T字形
BTB0379	镍片	0.4*22*46		纯镍、镀镍	长方形镍片



东莞市邦腾五金电子有限公司





电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址: www.dgbangteng.com
地址: 广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0380	镍片	0.2*15.5*36+10*16		纯镍、镀镍	长方形镍片
BTB0381	镍片	0.15*49.5*131-19		纯镍、镀镍	长方形镍片
BTB0382	镍片	0.15*52.5*131-19		纯镍、镀镍	长方形镍片
BTB0383	镍片	0.3*17*53.8+5*20.3		铝连接片	铝片连接片
BTB0384	镍片	0.08*2.1*7+2.1*10mm		纯镍、镀镍	编带L型 5W一盘
BTB0385	镍片	0.15*4.8*64.3+4.8*15.3		纯镍、镀镍	Z型镍片



东莞市邦腾五金电子有限公司


电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址: www.dgbangteng.com
地址: 广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0386	镍片	0.15*4.8*64.3+4.8*10.7		纯镍、镀镍	Z型镍片
BTB0387	镍片	0.3*10*42+6*13		纯镍 镀镍	18650带凸点镍片，间距19.3，凸点可去除
BTB0388	镍片	0.3*10*17.97+6*13		纯镍 镀镍	带凸点镍片，凸点可去除
BTB0390	镍片	0.15*5*21.75+5*16.4		纯镍 镀镍	
BTB0391	镍片	0.15*5*21.75+5*17.5		纯镍 镀镍	
BTB0392	镍片	0.15*19.5*21.9+5*17.5		纯镍 镀镍	



东莞市邦腾五金电子有限公司



电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址: www.dgbangteng.com
地址: 广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0393	镍片	0.15*11.75*12+1.5*8.4		可编带， 2000每盘	
BTB0394	镍片	0.15*11.75*12+1.5*8.1		可编带， 2000每盘	
BTB0395	镍带	0.15*37*23.5(25*13.5)		纯镍带	21700冲孔镍带 23.5mm间距
BTB0396	纯镍片	0.15*32.5*32.5+6*43		纯镍、镀镍	18650镍片 间距 18.5mm
BTB0397	纯镍片	0.15*7*35.3+5.48*12.5		纯镍、镀镍	18650镍片
BTB0398	纯镍片	0.1*30.92*50.4+3*16		纯镍、镀镍	18650镍片 间距 19.2mm



东莞市邦腾五金电子有限公司

电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址: www.dgbangteng.com
地址: 广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0399	纯镍片	0.15*44.5*56.17+7*63		纯镍、镀镍	18650镍片
BTB0400	纯镍片	0.15*30.28*41.5+10*63.8		纯镍、镀镍	18650镍片
BTB0401	纯镍片	0.15*30.48*41.5+10*63.8		纯镍、镀镍	18650镍片
BTB0402	纯镍片	0.2*27.25*77.84-19.4		纯镍、镀镍	18650镍片 19.4mm 间距
BTB0403	纯镍片	0.15*25.5*44+3*15.6		纯镍、镀镍	18650镍片 18.8mm 间距
BTB0404	纯镍片	0.15*25.5*43.5+6*14.7		纯镍、镀镍	18650镍片 18.8mm 间距






地址：广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0405	纯镍片	0.15*25.5*44+3*14.3		纯镍、镀镍	18650镍片 间距 18.8mm
BTB0406	纯镍片	0.15*6.6*24.5+6*7.6		纯镍、镀镍	18650镍片 间距 18.8mm
BTB0407	纯镍片	0.15*6*27.2+6*7.6		纯镍、镀镍	18650镍片 间距 18.8mm
BTB0408	纯镍片	0.15*42.28*37.85+5*12		纯镍、镀镍	18650镍片 间距 19.5mm
BTB0409	纯镍片	0.15*26.6*45.2+5*57.4		纯镍、镀镍	18650镍片 间距 18.6mm
BTB0410	纯镍片	0.15*25*30+15*25		纯镍、镀镍	18650镍片

专业生产电池连接片、高低频变压器铁夹、变压器铜片、精密端子及精密五金冲压件等，欢迎来电咨询！



电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0411		0.2*12*34+3*24/ Taille 1		纯镍、镀镍	18650镍片 带凸点 18.5mm间距
BTB0412		0.2*30.48*55.04+3*34/ Taille 2-Z		纯镍、镀镍	18650镍片 带凸点 18.5mm间距
BTB0413		0.2*30.48*55.04+12*34 Taille 2-S		纯镍、镀镍	18650镍片 带凸点 18.5mm间距
BTB0414	铜片	0.3*15*43+3.5*7.8		紫铜	
BTB0415	铜片	0.3*15*43+3.5*7.8		紫铜	
BTB0416	铜片	0.3*17*43.4+10*15		紫铜	

专业生产电池连接片、高低频变压器铁夹、变压器铜片、精密端子及精密五金冲压件等，欢迎来电咨询！



东莞市邦腾五金电子有限公司





电话:0769-86388199/87028919 传真:0769-86389099
 邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
 地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0417	铜片	0.3*17*45.33+10*28.33		紫铜	
BTB0418	2P铜片	0.5*10*33-18.5		紫铜	18650两联铜镍焊接片18.5mm间距 可焊接镍包、直片、冲孔镍片
BTB0419	镍片	0.1*10*20+4*5		纯镍、镀镍	
BTB0420	编带镍片	0.1*9.2*18.2+5*5.2		纯镍、镀镍	可散装、可编带
BTB0421	镍片	0.127*6.5*14.4+3*62.2		纯镍、镀镍	
BTB0422	镍片	0.1*8.1*47.2+3*15		纯镍、镀镍	



东莞市邦腾五金电子有限公司

电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0423	镍片	0.1*8.5*26.9+3.4*20.5		纯镍、镀镍	
BTB0424	镍片	0.1*10*26.5+4*72.25		纯镍、镀镍	
BTB0425	镍片	0.15*23*23+4.8*33		纯镍、镀镍	
BTB0426	镍片	0.1*10*30+4*6		纯镍、镀镍	
BTB0427	铜片	0.5*26*43.6-18.5		紫铜	18650两联铜镍焊接片18.5mm间距 可焊接镍包、直片、冲孔镍片
BTB0428	镍片	0.1*10*32+4*12		纯镍、镀镍	



传真:0769-86389099

网址: www.dgbangteng.com

地址：广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0429	镍片	0.15*34.87*48.65+6*17.65		纯镍、镀镍	
BTB0430	镍片	0.15*48.65*60.3+6*17.65		纯镍、镀镍	
BTB0431	镍片	0.15*21.72*101.5+9*12.72		纯镍、镀镍	
BTB0432	镍片	0.1*4*15+4*20		纯镍、镀镍	
BTB0433	镍片	0.127*7*28.7+5*19.76		纯镍、镀镍	
BTB0434	镍片	0.15*6*22+5*8		纯镍、镀镍	

专业生产电池连接片、高低频变压器铁夹、变压器铜片、精密端子及精密五金冲压件等，欢迎来电咨询！



东莞市邦腾五金电子有限公司

电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址: www.dgbangteng.com
地址: 广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0435	镍片	0.127*24.1*45.2+5*8		纯镍、镀镍	
BTB0436	镍片	0.15*4.8*56.2+1.6*22		纯镍、镀镍	
BTB0437	编带镍片	0.15*8*9-R0.5		纯镍、镀镍	10000/盘
BTB0438	镍片	0.15*14.96*65.68+2.2*21.35		纯镍、镀镍	
BTB0439	镍片	0.1*3*34.1+3*14		纯镍、镀镍	
BTB0440	铜片	0.6*33.5*68.6+10.1*71.6		紫铜+纯镍	0.6mm紫铜 焊接 0.15mm纯镍小镍包， 镍包高度 1.55mm， 间距 19.5mm



东莞市邦腾五金电子有限公司

电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址: www.dgbangteng.com
地址: 广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0441	镍片	0.1*3+8*12.5		纯镍、镀镍	
BTB0442	镍片	0.1*5*47+5*26		纯镍、镀镍	
BTB0443	铝片	0.5*12*21.5+10*22		铝	
BTB0444	镍片	0.12*5*53+32.7*37.5		纯镍、镀镍	
BTB0445	镍片	0.15*21.5*28.73+2.2*18.38		纯镍、镀镍	
BTB0446	编带镍片	0.127*3*10		纯镍、镀镍, 可编带	



东莞市邦腾五金电子有限公司




电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0447	镍片	0.15*28.23*26.1+2.2*37.09		纯镍、镀镍	
BTB0448	镍片	0.127*14.5*20.3+5.5*25		纯镍、镀镍	
BTB0449	镍片	0.1*3*23.76+3*12.9		纯镍、镀镍	
BTB0450	镍片	0.127*5*26+6*15		纯镍、镀镍	
BTB0451	镍片	0.3*4*5.95+4*6.48		纯镍、镀镍	
BTB0452	镍片	0.15*14*69.5+8*24		纯镍、镀镍	18650镍片 18.5mm间距



东莞市邦腾五金电子有限公司

电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址: www.dgbangteng.com
地址: 广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0453	镍片	0.15*25.45*56.5+3*15.5		纯镍、镀镍	18650镍片 19mm间距
BTB0454	镍片	0.15*25.45*56.5+3*36.45		纯镍、镀镍	18650镍片 19mm间距
BTB0455	镍片	0.15*28*37.45+5*16.5		纯镍、镀镍	18650镍片 19mm间距
BTB0456	镍片	0.15*17.7*67.2+6*91.2		纯镍、镀镍	18650镍片 19.4mm间距
BTB0457	镍片	0.15*37.1*75.2+6*91.2		纯镍、镀镍	18650镍片 19.4mm间距



东莞市邦腾五金电子有限公司



电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0495	铜镍焊接片	0.5x10*70-18.5mm		0.5mm 紫铜+纯镍	可焊镍包、镍片、间距18.5mm
BTB0496	铜镍焊接片	0.5x10*144-18.5mm		0.5mm 紫铜+纯镍	可焊镍包、镍片、间距18.5mm
BTB0497	铜镍焊接片	0.5x26x80.6-18.5mm		0.5mm 紫铜+纯镍	可焊镍包、镍片、间距18.5mm
BTB0498	铜镍焊接片	0.6*68.6*33.5mm		紫铜、纯镍	0.6mm紫铜 焊接0.15mm纯镍小镍包，镍包高度1.55mm
BTB0499	连接片	0.8*5+35.2*52		铝连接片	铝片连接片
BTB0501	镍片	0.15*4*20.5+8*24		纯镍、镀镍	18650 两并侧出



东莞市邦腾五金电子有限公司






电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0502	镍片	0.127*33.5*37		纯镍、镀镍	18650 四并
BTB0503	镍片	0.127*33.26*35.47		纯镍、镀镍	18650 四并
BTB0504	镍片	0.127*38.7*39.81		纯镍、镀镍	18650 四并
BTB0505	汇流片	0.5*20+48.4*74.6 (左)		紫铜+纯镍	0.5mm紫铜焊接 0.2mm 镍包 (镍包朝上, 左边) / 间距27.2mm
BTB0506	汇流片	0.5*20+48.4*74.6 (右)		紫铜+纯镍	0.5mm紫铜焊接 0.2mm 镍包 (镍包朝上, 右边) / 间距27.2mm
BTB0507	汇流片	0.5*23.4+48.4*74.6 (左) 焊接 0.2mm 镍包/ BTA139142		紫铜+纯镍	0.5mm紫铜焊接 0.2mm 镍包 (镍包朝上, 左边) / 间距27.2mm



东莞市邦腾五金电子有限公司




电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0508	汇流片	0.5*23.4+48.4*74.6 (右) 焊接 0.2mm 镍包/ BTA139146		紫铜+纯镍	0.5mm紫铜焊接 0.2mm 镍包 (镍包朝上, 右边) / 间距27.2mm
BTB0509	汇流片	0.5*68.6+74.6*75.9 焊接 0.2mm 镍包/ BTA139148		紫铜+纯镍	0.5mm紫铜焊接 0.2mm 镍包 / 间距27.2mm
BTB0510	汇流片	0.5*20+48.4*54.7 (左) 焊接 0.2mm 镍包/ BTA139158		紫铜+纯镍	0.5mm紫铜焊接 0.2mm 镍包 (镍包朝上, 左边) / 间距27.2mm
BTB0511	汇流片	0.5*20+48.4*54.7 (右) 焊接 0.2mm 镍包/ BTA139158		紫铜+纯镍	0.5mm紫铜焊接 0.2mm 镍包 (镍包朝上, 右边) / 间距27.2mm
BTB0512	汇流片	0.5*23.4+48.4*54.7 (左) 焊接 0.2mm 镍包/ BTA139160		紫铜+纯镍	0.5mm紫铜焊接 0.2mm 镍包 (镍包朝上, 左边) / 间距27.2mm
BTB0513	汇流片	0.5*23.4+48.4*54.7 (右) 焊接 0.2mm 镍包/ BTA139160		紫铜+纯镍	0.5mm紫铜焊接 0.2mm 镍包 (镍包朝上, 右边) / 间距27.2mm



东莞市邦腾五金电子有限公司




电话:0769-86388199/87028919 传真:0769-86389099
 邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
 地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0514	汇流片	0.5*48.7+54.7*75.9 焊接0.2mm 镍包/ BTA139166		紫铜+纯镍	0.5mm紫铜焊接 0.2mm 镍包/ 间距 27.2mm
BTB0515	镍片	0.25*10+26.6*76.		纯镍、镀镍	18.4mm直径, 10mm 宽
BTB0516	镍片	0.25*50+20.5*100		纯镍、镀镍	18.4mm直径, 10mm 宽
BTB0517	镍片	0.25*29.2+20.5*100		纯镍、镀镍	18.4mm直径, 10mm 宽
BTB0518	镍片	0.08*2.1*7+2.1*10			
BTB0800	镍片	0.15*45.5*33.4+19*5		纯镍 镀镍	18650 四并中出



东莞市邦腾五金电子有限公司



电话:0769-86388199/87028919 传真:0769-86389099
 邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
 地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0801	镍片	0.127*26*26+3.5*10		纯镍 镀镍	18650 四并一出
BTB0802	镍片	0.1*28*34.6		纯镍 镀镍	18650 三并一出
BTB0803	镍片	0.15*4*8.8		镀镍片	正极镍片导线条 常规款: 红色电子线: 35mm 黑色电子线: 90mm
BTB0804	镍片	0.127*24.1*47.2+3*10		纯镍、镀镍	五并一出
BTB0805	镍片	0.2*6*22+Ø2.0		纯镍	引脚纯镍片
BTB0806	镍片	0.1*8*27.5+2.5*15		纯镍 镀镍	18650 二并直出



东莞市邦腾五金电子有限公司

电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0807	镍片	0.1*6*24.2+3*18		纯镍 镀镍	二联二出
BTB0808	镍片	0.1*3*20+5*100		纯镍 镀镍	18650 六联一出
BTB0809	镍针	0.1*0.2+1*1		纯镍 镀镍	L型镍片 电池检测针
BTB0810	镍塞	0.2*1.75*1.6*3.14		纯镍 镀镍	
BTB0811	镍片	0.15*28.4*8+15*8		纯镍 镀镍	
BTB0812	镍片	0.15*28.4*8+21*8		纯镍 镀镍	



东莞市邦腾五金电子有限公司





电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址: www.dgbangteng.com
地址: 广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0813	镍片	0.15*78.28		纯镍 镀镍	
BTB0814	镍片	0.15*41.4*8		纯镍 镀镍	
BTB0815	镍片	0.15*65.2*8+21*8		纯镍 镀镍	
BTB0816	镍片	0.127*8.1+5*47.2+3*10		纯镍 镀镍	18650移动电源镍片 (三联一出)
BTB0817	镍片	0.2*8*30.3+8*12		纯镍 镀镍	
BTB0818	镍片	0.12*26*26+12*5		纯镍 镀镍	



东莞市邦腾五金电子有限公司






电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0819	镍片	0.15*28.5*28.5*5		纯镍 镀镍	
BTB0820	镍片	0.15*38.4*8+10*5		纯镍 镀镍	
BTB0827	弹片	0.3*5*6.8*11.6		磷铜	测量仪电池正极弹片, 磷铜镀镍弹片
BTB0828	弹片	0.3*7.5*9.3*12.6		磷铜	测量仪电池正极弹片 磷铜镀镍弹片
BTB0829	镍片	0.2*28.2*226.36		纯镍 镀镍	
BTB0830	镍片	0.1*3.5*5.9			



东莞市邦腾五金电子有限公司


电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0831	镍片	0.127*1.78*1.18+1.78*1.2		纯镍 镀镍	
BTB0832	镍片	0.2*6*86+3*6		纯镍 镀镍	
BTB0833	镍片	0.15*33.64*361.9		纯镍 镀镍	
BTB0834	镍片	0.15*33.29*370.65		纯镍 镀镍	
BTB0836	软连接片	1.55*100.5*79.5		软连接黄铜	
BTB0837	软连接片	3*95*20+132*20		软连接黄铜	



东莞市邦腾五金电子有限公司



电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址:www.dgbangteng.com
地址:广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0838	软连接片	3.5*20.6*223		大功率电池软连接铜箔软连接	
BTB0839	软连接片	1.6*40*170		软连接黄铜	
BTB0840	软连接片	2.0*12*142		紫铜	紫铜镀镍
BTB0841	连接片	1.55*19.7*90.5 (长) 2.5*30*103 (短)		黄铜	黄铜镀锡
BTB0842	镍片	0.127*25.6*28		纯镍 镀镍	18650四并
BTB0843	镍片	0.127*24*28+3*12.5		纯镍 镀镍	18650四并



东莞市邦腾五金电子有限公司

电话:0769-86388199/87028919 传真:0769-86389099
邮箱:bangteng86388199@163.com 网址: www.dgbangteng.com
地址: 广东省东莞市石碣镇刘屋管理区诺哲工业园

编码	品名	规格	图片	材质	说明
BTB0844	镍片	0.15*74*19+20*7		纯镍 镀镍	18650双排银鱼镍片
BTB0845	镍片	0.15*91.5*9+5*1		纯镍 镀镍	18650单排银鱼镍片
BTB0847		0.25*6*6*12.18		纯镍 镀镍	电池焊片


东莞市邦腾五金电子有限公司

Bangteng Hardware & Electronic Co.,Ltd

18650 镍带 18650 Nickel Strips


18650，间距18.5，间距可调，1-4并
11*12.5+6 厚度：0.1~0.25mm,材质：纯镍/镀镍

18650 Nickel Strips, Available for 1P-4P;
Cell spacing 18.5mm, the spacing is adjustable. Width: 6mm.
Welding cuts: rectangle cuts
Thickness: 0.1-0.25mm,
Material: Pure nickel/nickel plated steel




18650，间距19，间距可调，1-8并
12*12+7 厚度：0.1~0.25mm,材质：纯镍/镀镍

18650 Nickel Strips, Available for 1P-8P;
Cell spacing 19mm, the spacing is adjustable. Width: 7mm.
Welding cuts: rectangle cuts
Thickness: 0.1-0.25mm,
Material: Pure nickel/nickel plated steel




18650，间距20.15，间距可调，3-7并
12.65*12.65+7.5 厚度：0.1~0.25mm,材质：纯镍/镀镍

18650 Nickel Strips, Available for 3P-7P;
Cell spacing 20.15mm, the spacing is adjustable. Width: 7.5mm.
Welding cuts: rectangle cuts
Thickness: 0.1-0.25mm,
Material: Pure nickel/nickel plated steel



18650，间距20.25，间距可调，1-7并
13.5*13.5+6.75 厚度：0.1~0.25mm,材质：纯镍/镀镍

18650 Nickel Strips, Available for 1P-7P;
Cell spacing 20.25mm, the spacing is adjustable. Width: 6.75mm.
Welding cuts: rectangle cuts
Thickness: 0.1-0.25mm,
Material: Pure nickel/nickel plated steel



东莞市邦腾五金电子有限公司

Bangteng Hardware & Electronic Co.,Ltd

18650 镍带 18650 Nickel Strips

18650错位, 间距18.5, 间距可调, 2-6并 9*14.9+7 厚度: 0.1~0.25mm,材质: 纯镍/镀镍 18650 Offset Nickel Strips, Available for 2P-6P; Cell spacing 18.5mm, the spacing is adjustable. Width: 7mm. Welding cuts: rectangle cuts Thickness: 0.1-0.25mm, Material: Pure nickel/nickel plated steel	18650错位, 间距19, 间距可调, 2-6并 9.45*15.64+7 厚度: 0.1~0.25mm,材质: 纯镍/镀镍 18650 Offset Nickel Strips, Available for 2P-6P; Cell spacing 19mm, the spacing is adjustable. Width: 7mm. Welding cuts: rectangle cuts Thickness: 0.1-0.25mm, Material: Pure nickel/nickel plated steel	18650错位, 间距19.5, 间距可调, 2-6并 9.9*16.4+7 厚度: 0.1~0.25mm,材质: 纯镍/镀镍 18650 Offset Nickel Strips, Available for 2P-6P; Cell spacing 19.5mm, the spacing is adjustable. Width: 7mm. Welding cuts: rectangle cuts Thickness: 0.1-0.25mm, Material: Pure nickel/nickel plated steel	
18650错位, 间距18.5, 间距可调, 2并 8*9.5+8.16 厚度: 0.1~0.25mm,材质: 纯镍/镀镍 18650 Offset Nickel Strips, Available for 2P; Cell spacing 18.5mm, the spacing is adjustable. Width: 8.16mm. Welding cuts: rectangle cuts Thickness: 0.1-0.25mm, Material: Pure nickel/nickel plated steel	18650, 间距19.5, 间距可调, 1并/2并 12.5*12.5+7 厚度: 0.1~0.25mm,材质: 纯镍/镀镍 18650 Nickel Strips, Available for 1p and 2P; Cell spacing 19.5mm, the spacing is adjustable, Width:7mm Welding cuts: rectangle cuts Thickness: 0.1-0.25mm, Material: Pure nickel/nickel plated steel	18650, 间距19, 间距可调, 1并/2并 12*14.5+4.5 厚度: 0.1~0.25mm,材质: 纯镍/镀镍 18650 Nickel Strips, Available for 1p and 2P; Cell spacing 19mm, the spacing is adjustable, Width:4.5mm Welding cuts: rectangle cuts Thickness: 0.1-0.25mm, Material: Pure nickel/nickel plated steel	18650, 间距18.3, 间距可调, 1并/2并 厚度: 0.1~0.25mm,材质: 纯镍/镀镍 18650 Nickel Strips, Available for 1p and 2P; Cell spacing 18.3mm, the spacing is adjustable, Welding cuts: rectangle cuts Thickness: 0.1-0.25mm, Material: Pure nickel/nickel plated steel


东莞市邦腾五金电子有限公司

Bangteng Hardware & Electronic Co.,Ltd

21700 镍带 21700 Nickel Strips


21700, 间距21.5, 间距可调, 2-7并
14.5*14.5+7 厚度: 0.1~0.25mm, 材质: 纯镍/镀镍

21700 Nickel Strips, Aavailable for 2P-7P;
Cell spacing 21.5mm, the spacing is adjustable, width:7mm
Welding cuts: rectangle cuts
Thickness: 0.1-0.25mm, Material: Pure nickel/nickel plated steel




21700, 间距22.5, 间距可调, 2-7并
14.5*14.5+8 厚度: 0.1~0.25mm, 材质: 纯镍/镀镍

21700 Nickel Strips, Aavailable for 2P-7P;
Cell spacing 22.5mm, the spacing is adjustable, width:8mm
Welding cuts: rectangle cuts
Thickness: 0.1-0.25mm, Material: Pure nickel/nickel plated steel




21700错位, 间距22.5, 可裁切, 2-6并
12*19.3+7.5 厚度: 0.1~0.25mm, 材质: 纯镍/镀镍

21700 Offset Nickel Strips, Aavailable for 2P-6P;
Cell spacing 22.5mm, can be cut. Width: 7.5mm.
Welding cuts: rectangle cuts
Thickness: 0.15-0.25mm, Material: Pure nickel/nickel plated steel




21700, 间距23.5, 间距可调, 2-6并
16.5*16.5+7 厚度: 0.1~0.25mm, 材质: 纯镍/镀镍

21700 Nickel Strips, Aavailable for 2P-6P;
Cell spacing 23.5mm, the spacing is adjustable, width:7mm
Welding cuts: rectangle cuts
Thickness: 0.1-0.25mm, Material: Pure nickel/nickel plated steel



21700, 间距23.4, 间距可调, 2-4并
14*15.5+7.9 厚度: 0.1~0.25mm, 材质: 纯镍/镀镍

21700 Nickel Strips, Aavailable for 2P-4P;
Cell spacing 23.4mm, the spacing is adjustable, width:7.9mm
Welding cuts: rectangle cuts
Thickness: 0.1-0.25mm, Material: Pure nickel/nickel plated steel



东莞市邦腾五金电子有限公司

Bangteng Hardware & Electronic Co.,Ltd

26650 镍带 26650 Nickel Strips	
26650, 间距27.8, 间距可调, 2并 20.8*20.8+7 厚度: 0.1~0.25mm, 材质: 纯镍/镀镍 26650 Nickel Strips, Avaliable for 2P; Cell spacing 27.8mm, the spacing is adjustable, width:7mm Welding cuts: rectangle cuts Thickness: 0.1-0.25mm, Material:Pure nickel/nickel plated steel	26650, 间距26.3, 间距可调, 2并 15.78*18.22+7 厚度: 0.1~0.25mm, 材质: 纯镍/镀镍 26650 Nickel Strips, Avaliable for 2P Cell spacing 26.3mm, the spacing is adjustable, width:7mm Welding cuts: rectangle cuts Thickness: 0.1-0.25mm, Material: Pure nickel/nickel plated steel
26650, 间距27.8, 间距可调, 1-4并 20.84*20.84+6.96 厚度: 0.1~0.25mm, 材质: 纯镍/镀镍 26650 Nickel Strips, Avaliable for 1P-4P; Cell spacing 27.8mm, the spacing is adjustable, width:6.96mm Welding cuts: cross cuts Thickness: 0.1-0.25mm, Material: Pure nickel/nickel plated steel	26650, 间距27.8, 间距可调, 1-6并 20.84*20.84+6.96 厚度: 0.1~0.25mm, 材质: 纯镍/镀镍 26650 Nickel Strips, Avaliable for 1P-6P; Cell spacing 27.8mm, the spacing is adjustable, width:6.96mm Welding cuts: cross cuts Thickness: 0.1-0.25mm, Material: Pure nickel/nickel plated steel


东莞市邦腾五金电子有限公司

Bangteng Hardware & Electronic Co.,Ltd

32650 镍带 32650 Nickel Strips


32650, 间距34.5, 间距可调, 1-4并, 18*18+16.5
焊孔: 长孔、圆孔、异孔可选, 厚度: 0.15~0.25mm, 材质: 纯镍/镀镍

32650 Nickel Strips, Available for 1P-4P;
Cell spacing 34.5mm, the spacing is adjustable, width:16.5mm
Welding cuts: round cuts and rectangle cuts
Thickness: 0.15-0.25mm,Material: Pure nickel/nickel plated steel




32650, 间距32.5, 间距可调, 1-5并, 18.5*18.5+14
焊孔: 长孔、圆孔可选, 厚度: 0.15~0.25mm, 材质: 纯镍/镀镍

32650 Nickel Strips, Available for 1P-5P;
Cell spacing 32.5mm, the spacing is adjustable. Width: 14mm.
Welding cuts: round cuts and rectangle cuts
Thickness: 0.15-0.25mm, Material: Pure nickel/nickel plated steel



















32650错位, 间距32.5, 间距可调, 1-5并, 14.15*23.04+14
焊孔: 长孔、圆孔可选, 厚度: 0.15~0.25mm, 材质: 纯镍/镀镍

32650 Offset Nickel Strips, Available for 1P-5P;
Cell spacing 32.5mm, the spacing is adjustable. Width: 14mm.
Welding cuts: round cuts and rectangle cuts
Thickness: 0.15-0.25mm, Material: Pure nickel/nickel plated steel




18650 Battery Holder

				
18650-1P Battery Holder Diameter: 18.4mm Distance: Material:ABS/ABS+PC	18650-2P Battery Holder Diameter: 18.4mm Distance: 20.2mm Material:ABS/ABS+PC	18650-2P Battery Holder Diameter: 18.4mm Distance: 19.5mm Material:ABS	18650-3P Battery Holder Diameter: 18.4mm Distance: 20.2mm Material:ABS/ABS+PC	18650-3P Battery Holder Diameter: 18.4mm Distance: 19.5mm Material:ABS
				
18650-3x5 Battery Holder Diameter: 18.4mm Distance: 20.2mm Material:ABS/ABS+PC	18650-4x5 Battery Holder Diameter: 18.4mm Distance: 20.2mm Material:ABS/ABS+PC	18650-3x6 Battery Holder Diameter: 18.4mm Distance: 20.2mm Material:ABS/ABS+PC	18650-4x6 Battery Holder Diameter: 18.4mm Distance: 20.2mm Material:ABS/ABS+PC	
				
18650-2P Honeycomb Battery Holder Diameter: 18.4mm Distance: 19.5mm Material:ABS	18650-3P Honeycomb Battery Holder Diameter: 18.4mm Distance: 19.5mm Material:ABS	18650-4P Honeycomb Battery Holder Diameter: 18.4mm Distance: 19.5mm Material:ABS	18650-5P Honeycomb Battery Holder Diameter: 18.4mm Distance: 19.5mm Material:ABS	18650-6P Honeycomb Battery Holder Diameter: 18.4mm Distance: 19.5mm Material:ABS


	
18650-10P Honeycomb Battery Holder Diameter: 18.4mm Distance: 19.5mm Material:ABS	18650-13P Honeycomb Battery Holder Diameter: 18.4mm Distance: 19.5mm Material:ABS

18650 电池整体支架，电池中心间距19MM，可以做1X1—15X20 以内任何型号支架




18650 Battery holder, cell spacing 19mm, diameter 18.4mm, non-assemble type.
Available size: 1x1-15x20

18650 电池整体支架，电池中心间距20.2MM，可以做1×1—14×20 以内任何型号支架




18650 Battery holder, cell spacing 20.2mm, diameter 18.4mm, non-assemble type.
Available size: 1x1-14x20

18650 错位支架，可以做16X22 以内任何型号




18650 Honeycomb Battery holder, cell spacing 19mm, diameter 18.5mm, non-assemble type.
Available size: 1x1-16x22


21700 Battery Holder




21700-2P Battery Holder
Diameter: 21.7mm
Distance: 23.4mm
Material:ABS




21700-2P Battery Holder
Diameter: 21.2mm
Distance: 23mm
Material:ABS/ ABS+PC




21700-3P Battery Holder
Diameter: 21.7mm
Distance: 23.4mm
Material:ABS




21700-3P Battery Holder
Diameter: 21.2mm
Distance: 23mm
Material:ABS/ ABS+PC




21700-3x4 Battery Holder
Diameter: 21.7mm
Distance: 23.4mm
Material:ABS




21700-3P Honeycomb Battery Holder
Diameter: 21.2mm/21.7mm
Distance: 22.7mm
Material:ABS




21700-4P Honeycomb Battery Holder
Diameter: 21.2mm/21.7mm
Distance: 22.7mm
Material:ABS




21700-5P Honeycomb Battery Holder
Diameter: 21.2mm/21.7mm
Distance: 22.7mm
Material:ABS



21700-6P Honeycomb Battery Holder
Diameter: 21.2mm/21.7mm
Distance: 22.7mm
Material:ABS




21700-10P Battery Holder
Diameter: 21.2mm/21.7mm
Distance: 22.7mm
Material:ABS




21700-13P Battery Holder
Diameter: 21.2mm/21.7mm
Distance: 22.7mm
Material:ABS

21700-13P 错位支架 21.2mm 直径/21.7mm直径 间距22.7mm




21700 Battery holder, cell spacing 22.5mm, diameter 21.3/21.7mm, non-assembly type.
Available size:1x1-10x15



21700 Battery holder, cell spacing 22.5mm, diameter 21.3/21.7mm, non-assembly type.
Available size:1x1-13x16





26650 Battery Holder



26650-1P Battery Holder
Diameter: 26.4mm
Distance: 27.5mm
Material: ABS/ABS+PC

26650-2P Battery Holder
Diameter: 26.4mm
Distance: 27.5mm
Material: ABS/ABS+PC


26650-3P Battery Holder
Diameter: 26.4mm
Distance: 27.5mm
Material: ABS/ABS+PC




26650-2P Battery Holder
Diameter: 26.3mm
Distance: 28mm
Material: ABS/ABS+PC

26650-3P Battery Holder
Diameter: 26.3mm
Distance: 28mm
Material: ABS/ABS+PC




26650 Battery holder, cell spacing 27.6mm, diameter 26.5/26.8mm, non-assemble type. Available size: 1x1-8x16



Honeycomb 26650 Battery holder, cell spacing 27.5mm, diameter 26.5/26.8mm, non-assemble type. Available size: 1x1-10X15
--



32650 Battery Holder

			
32650-2P Battery Holder Diameter: 34.5mm Distance: 32.5mm Material:ABS/ABS+PC	32650-3P Battery Holder Diameter:34.5mm Distance: 32.5mm Material:ABS/ ABS+PC	32650-2*3 Battery Holder Diameter:34.5mm Distance: 32.5mm Material:ABS/ ABS+PC	

32650 Battery holder, cell spacing34.5mm, diameter 32.5mm, non-assemble type.
Available size:1x1-8x12

